

VPATTM

Core Impact



VPAT™

Voluntary Product Accessibility Template®

Version 1.3

The purpose of the Voluntary Product Accessibility Template, or VPAT™, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Section 1194.21 Software Applications and Operating Systems – Detail				
Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Yes	This applies to QWERTY keyboards.	Fully Partially No	With one exception, all commands can be performed using a keyboard. There is a workaround available by request
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Yes		Fully Partially No	
(c) A well defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Yes		Fully Partially No	
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Yes		Fully Partially No	
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Yes	In this requirement, the term "bitmap" refers to a broad number of image formats, such as .bmp, .gif, .jpeg, .tif and .svg.	Fully Partially No	
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Yes		Fully Partially No	
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Yes		<u>✓</u> Fully	

			Partially No
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Yes	Self-scrolling and moving text are considered animation.	Fully Partially No
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Yes	This requirement is also addressed in provision 1194.25(g)	Fully Partially No
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Yes	This requirement is also addressed in provision 1194.25(h).	Fully Partially No
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Yes	Other elements include turning graphics on and off or changing between images. This requirement is also addressed in provisions 1194.22(j) and 1194.25(i)	<pre>Fully Partially No</pre>
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Yes	This requirement is also addressed in provision 1194.22(n)	Fully Partially No

Section 1194.22 Web-based intranet and internet information and applications					
Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain	
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	No		Fully Partially No		
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	No		Fully Partially No		
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from	No		Fully		

context or markup.			Partially	
context of markup.				
			No	
(d) Documents shall be organized so they			FII	
are readable without requiring an			Fully	
associated style sheet.	No		Partially	
			No	
(12.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.				
(e) Redundant text links shall be provided			Fully	
for each active region of a server-side image map.	No		Partially	
image map.	NO		Faitially	
			No	
(f) Client-side image maps shall be			F II	
provided instead of server-side image			Fully	
maps except where the regions cannot be	No		Partially	
defined with an available geometric			No	
shape.				
(g) Row and column headers shall be identified for data tables.			Fully	
identified for data tables.	No			
	1.0		Partially	
			No	
(h) Markup shall be used to associate data			Fully	
cells and header cells for data tables that	No			
have two or more logical levels of row or	No		Partially	
column headers.			No	
(i) Frames shall be titled with text that			Fulls	
facilitates frame identification and			Fully	
navigation	No		Partially	
			No	
(j) Pages shall be designed to avoid		This requirement is also	- "	
causing the screen to flicker with a		addressed in provisions	Fully	
frequency greater than 2 Hz and lower	No	1194.21(k) and	Partially	
than 55 Hz.		1194.25(i)	No	
(k) A text-only page, with equivalent		The sales of the sales		
information or functionality, shall be		This should only be used as a last resort.		
provided to make a web site comply with		useu as a last resort.	Fully	
the provisions of this part, when	No			
compliance cannot be accomplished in	No		Partially	
any other way. The content of the text-			No	
only page shall be updated whenever the				
primary page changes. (I) When pages utilize scripting languages				
to display content, or to create interface			Fully	
elements, the information provided by				
the script shall be identified with	No		Partially	
functional text that can be read by			No	
Assistive Technology.				
(m) When a web page requires that an				
applet, plug-in or other application be			Fully	
present on the client system to interpret	No		Partially	
page content, the page must provide a link to a plug-in or applet that complies			No	
with §1194.21(a) through (I).			140	
32(a) a 0 a.g.: (1).	<u> </u>	<u> </u>	<u> </u>	l .

(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	No		Fully Partially No	
(o) A method shall be provided that permits users to skip repetitive navigation links.	No		Fully Partially No	
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	No	This requirement is also addressed in provision 1194.25(b)	Fully Partially No	

Section 1194.23 Telecommunications products				
Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	No		Fully Partially No	
(b) Telecommunications products which include voice communication functionality shall support all commonly used crossmanufacturer non-proprietary standard TTY signal protocols.	No		Fully Partially No	
(c)Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	No		Fully Partially No	
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	No		Fully Partially No	
(e)Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs,	No		Fully	

and for users who cannot see displays.		Partially
		No
(f) For transmitted voice signals,		
telecommunications products shall		Fully
provide a gain adjustable up to a	No	Partially
minimum of 20 dB. For incremental	NO	raitially
volume control, at least one intermediate		No
step of 12 dB of gain shall be provided.		
(g) If the telecommunications product		
allows a user to adjust the receive		Fully
volume, a function shall be provided to	No	Partially
automatically reset the volume to the		r artially
default level after every use.		No
(h) Where a telecommunications product		
delivers output by an audio transducer		Eully
which is normally held up to the ear, a		Fully
means for effective magnetic wireless	No	Partially
coupling to hearing technologies shall be		
		No
provided.		
(i) Interference to hearing technologies		
(including hearing aids, cochlear implants,		Fully
and assistive listening devices) shall be	No	Partially
reduced to the lowest possible level that		Faltially
allows a user of hearing technologies to		No
utilize the telecommunications product.		
(j) Products that transmit or conduct	T	
information or communication, shall pass		
through cross-manufacturer, non-		
proprietary, industry-standard codes,		
translation protocols, formats or other		Fully
information necessary to provide the		
information or communication in a usable	No	Partially
format. Technologies which use encoding,		No
signal compression, format		— NO
transformation, or similar techniques shall		
not remove information needed for		
access or shall restore it upon delivery.		
(k)(1) Products which have mechanically		Fully
operated controls or keys, shall comply		
with the following: Controls and keys shall	No	Partially
be tactilely discernible without activating		No
the controls or keys.		INO
(k)(2) Products which have mechanically		
operated controls or keys, shall comply		
with the following: Controls and keys shall		Fully
be operable with one hand and shall not		—_ ' uny
require tight grasping, pinching, or	No	Partially
twisting of the wrist. The force required to		No
activate controls and keys shall be 5 lbs.		No
(22.2 N) maximum.		
(k)(3) Products which have mechanically		
operated controls or keys, shall comply		Fully
with the following: If key repeat is		
supported, the delay before repeat shall	No	Partially
be adjustable to at least 2 seconds. Key		No
repeat rate shall be adjustable to 2		— ···
seconds per character.		
		

(k)(4) Products which have mechanically operated controls or keys, shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	No		Fully Partially No	
--	----	--	--------------------	--

Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	No		Fully Partially No	
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	No		Fully Partially No	
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	No	Applications sometimes include video productions.	Fully Partially No	
(d) All training and informational video and multimedia productions that support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described interval is about to run out, and shall provide	No	Applications sometimes include video productions.	Fully Partially No	

sufficient time for the user to indicate more time is required.				
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	No	Applications sometimes include video productions.	Fully Partially No	

Section 1194.25 Self-contained, closed products				
Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain
(a) Self-contained products shall be usable by people with disabilities without requiring an end-user to attach assistive technology to the product. Personal headsets for private listening are not assistive technology.	No		Fully Partially No	
(b) When a timed response is required, the user shall be alerted and Person on phone receiving audio message "You have 15 seconds to finish your message." given sufficient time to indicate more time is required.	No		Fully Partially No	
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	No		Fully Partially No	
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	No		Fully Partially No	
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	No		Fully Partially No	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every	No		Fully Partially No	

use.		
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	No	Fully Partially No
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	No	Fully Partially No
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	No	Fully Partially No
(j)(1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length (see Figure 1 of this part).	No	Fully Partially No
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	No	Fully Partially No
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the referenc plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	No	Fully Partially No
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane (see Figure 2 of this part).	No	Fully Partially No

Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through(4).	No		Fully Partially No	
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	No		Fully Partially No	
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	No		Fully Partially No	
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.	No		Fully Partially No	

Subpart C Functional Performance Criteria						
Provision Text	tion 1194.31 Fu Applicable	Notes	How does the EIT meet this requirement?	Please Explain		
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for assistive technology used by people who are blind or visually impaired shall be provided.	Yes		Fully Partially No	Yes, in fully. Works with assistive technology programs.		
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for assistive technology used by people who are visually impaired shall be provided.	Yes		Fully Partially No	Yes, in fully. Works with assistive technology programs.		
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for assistive technology used by people who are deaf or hard of hearing shall be provided.	No		Fully Partially No	Audio not required for fucntionality		

(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	No	Fully Partially No	Audio not required for fucntionality
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for assistive technology used by people with disabilities shall be provided.	Yes	Fully Partially No	We never require user's speech. For operational information retrieval.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Yes	Fully Partially No	Product can be run without simul actions or fine motor control.

Subpart D Information, Documentation, and Support						
Section 1194.41 Information, documentation, and support						
Provision Text	Applicable	Notes	How does the EIT meet this requirement?	Please Explain		
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Yes		Fully Partially No	Fully		
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Yes		Fully Partially No	Upon request		
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Yes		Fully Partially No			