

Voluntary Product Accessibility Template

Rubrik Appliance Hardware

Version 1.2



Rubrik Headquarters: Palo Alto, California 94304
1-844-4RUBRIK www.rubrik.com



Name	Date	Changes	Version
Sabre Schnitzer	4/15/2019	Initial v2.0 draft, content and structure	1.0
Sabre Schnitzer	10/10/2019	Content update and verification	1.1
Sabre Schnitzer	1/3/2020	Content update and verification	1.2



Table of Contents

Executive Summary	5
1.0 Rubrik Cloud Data Management Conformance Report.....	6
1.1 Name of Product/Version.....	6
1.2 Product Description	6
1.3 Date	6
1.4 Contact information	6
1.5 Notes	6
1.6 Evaluation Methods Used.....	6
1.7 Applicable Standards/Guidelines	6
1.8 Standard/Guideline	7
1.9 Included In Report.....	7
1.10 Terms	7
1.11 Applicable Reports.....	7
2.0 Summary Table.....	8
3.0 Compliance Tables.....	9
3.1 WCAG Criteria	9
3.1.1 WCAG Level A Success Criteria	9
3.1.2 WCAG Level AA Success Criteria	22
3.1.3 WCAG Level AAA Success Criteria	29
3.2 Section 508 Report.....	33
3.2.1 Section 508 Functional Performance Criteria (FPC)	33
3.2.2 Section 508 Hardware Compliance	35
3.2.3 Section 508 Software Compliance	41
3.2.4 Section 508 Support Documentation and Services	45
3.3 EN 301 549 Report.....	46
3.3.1 EN 301 549 Functional Performance Statements (FPS)	46
3.3.2 EN 301 549 Generic Requirements.....	48
3.3.3 EN 301 549 ICT with Two-Way Voice Communication	52
3.3.4 EN 301 549 ICT with Video Capabilities.....	54
3.3.5 EN 301 549 Hardware Success Criteria	55
3.3.6 EN 301 549 Web (see <i>WCAG 2.0 section</i>).....	59
3.3.7 EN 301 549 Non-web Documents Success Criteria	59
3.3.8 EN 301 549 Software Success Criteria	60
3.3.9 EN 301-549 Documentation and Support Services Success Criteria	65
3.3.10 EN 301 549 Emergency Service Access Success Criteria	66



4.0 Legal Disclaimer.....	67
----------------------------------	-----------

List of Tables

Table 1. Standards/Guidelines Included in the Report	7
Table 2. Summary Table	8
Table 3. WCAG Level A Success Criteria	9
Table 4. WCAG Level AA Success Criteria	22
Table 5. WCAG Level AAA Success Criteria	29
Table 6. Section 508 Functional Performance Criteria (FPC)	33
Table 7. Section 508 Hardware Compliance	35
Table 8. Section 508 Software Compliance	41
Table 9. Section 508 Support Documentation and Services	45
Table 10. EN 301 549 Functional Performance Statements (FPS)	46
Table 11. EN 301 549 Generic Requirements.....	48
Table 12. EN 301 549 ICT with Two-Way Voice Communications.....	52
Table 13. EN 301 549 ICT with Video Communications.....	54
Table 14. EN 301 549 Hardware Success Criteria	55
Table 15. EN 301 549 Non-web Documents Success Criteria	59
Table 16. EN 301 549 Software Success Criteria	60
Table 17. EN 301 549 Documentation and Support Services Success Criteria	65
Table 18. EN 301 549 Emergency Service Access Success Criteria	66



Executive Summary

The purpose of the Voluntary Product Accessibility Template, or VPAT™, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial “Electronic and Information Technology” products and services with features that support accessibility. It is assumed and recommended that offerors will provide additional contact information to facilitate more detailed inquiries by government purchasers.

Rubrik supports the U.S. Government's efforts to increase access to Electronic and Information Technology (E&IT) for the disabled. Rubrik, upon request, can provide Voluntary Product Accessibility Templates (VPATs) to demonstrate accessibility. Rubrik does not certify that its software products, services or appliance solutions are compliant with the Rehabilitation Act, Section 508 requirements.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., “equivalent facilitation.” The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

For questions or support with this Rubrik VPAT please contact: sabre.schnitzer@Rubrik.com
Please include specific Product Name and Version Number within your inquiry.



1.0 Rubrik Cloud Data Management Conformance Report

1.1 *Name of Product/Version*

Rubrik Hardware Appliances (all models)

1.2 *Product Description*

Rubrik simplifies backup and recovery for hybrid cloud environments. It eliminates legacy backup complexity by integrating data orchestration, catalog management, and deduplicated storage into a single software platform. With Rubrik, enterprises can unlock cloud for long-term data retention or DR and deliver automation with an API-first software platform. Designed to be vendor-agnostic, Rubrik supports the leading operating systems, databases, hypervisors, clouds, and SaaS applications.

The Rubrik appliances simply place the Hardware Appliance software onto a hardware appliance.

This VPAT will focus solely on the hardware and not the software of the Hardware Appliance product.

1.3 *Date*

3 January 2020

1.4 *Contact information*

Sabre Schnitzer, Rubrik Federal Compliance Manager, at sabre.schnitzer@rubrik.com.

1.5 *Notes*

Questions to any of the content provided in this report should be directed to the contact listed above.

1.6 *Evaluation Methods Used*

This assessment was performed by the contact listed above utilizing JAWS, AMP, Total Validator, Contrast Checker, Color Tester and the aXe Firefox Plugin.

1.7 *Applicable Standards/Guidelines*

This report covers the degree of conformance for the following accessibility standard/guidelines:



Table 1. Standards/Guidelines Included in the Report

1.8 <i>Standard/Guideline</i>	1.9 <i>Included In Report</i>
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-WCAG20-20081211/	Level A (<u>Yes</u> / No) Level AA (<u>Yes</u> / No) Level AAA (<u>Yes</u> / No)
Section 508 as published in 2017, at http://www.Section508.gov	(<u>Yes</u> / No)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, at http://mandate376.standards.eu/standard	(<u>Yes</u> / No)

1.10 Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

1.11 Applicable Reports

The tables below also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.



2.0 Summary Table

The below table summarizes the details provided in this report.

Table 2. Summary Table

Criteria	Total Standards	Supports	Supports With Exceptions	Does Not Support	Not Applicable	Not Evaluated
WCAG Level A	25	0	0	0	25	0
WCAG Level AA	13	0	0	0	13	0
WCAG Level AAA	23	0	0	0	23	0
Section 508 Functional Performance Criteria (FPC)	9	0	0	0	9	0
Section 508 Hardware	51	22	0	0	29	0
Section 508 Software	25	0	0	0	25	0
Section 508 Documentation and Services	4	1	0	3	0	0
EN 301 549 Functional Performance Standards (FPS)	11	0	0	0	11	0
EN 301 549 Generic Requirements	28	1	1	3	23	0
EN 301 549 ICT with Two-Way Voice	12	0	0	0	12	0
EN 301 549 ICT with Video Comms	7	0	0	0	7	0
EN 301 549 Hardware Success Criteria	30	5	0	0	25	0
EN 301 549 Non-Web Documents	2	0	0	0	2	0
EN 301 549 Software	21	1	0	2	18	0
EN 301 549 Documentation and Support	3	1	0	2	0	0
EN 301 549 Emergency Services Access	7	0	0	0	7	0
Totals	267	31	1	10	225	0



3.0 Compliance Tables

3.1 WCAG Criteria

3.1.1 WCAG Level A Success Criteria

Table 3. WCAG Level A Success Criteria

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.1 (Web)10.2.1 (non-web document)11.2.1.1 (Software)11.2.2.1 (Closed Functionality Software)11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.2 (Web)10.2.2 (non-web document)11.2.1.2 (Software)11.2.2.2.1 and 11.2.2.2.2 (Closed Software)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)• 		
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.3 (Web)• 10.2.3 (non-web document)• 11.2.1.3 (Software)• 11.2.2.3 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.4 (Web)• 10.2.4 (non-web document)• 11.2.1.4 (Software)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 11.2.2.4 (Closed Software)• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.7 (Web)• 10.2.7 (non-web document)• 11.2.1.7 (Software)• 11.2.2.7 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.8 (Web)• 10.2.8 (non-web document)• 11.2.1.8 (Software)• 11.2.2.8 (Closed Software) – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.9 (Web)• 10.2.9 (non-web document)• 11.2.1.9 (Software)• 11.2.2.9 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.4.1 Use of Color</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.10 (Web)• 10.2.10 (non-web document)• 11.2.1.10 (Software)• 11.2.2.10 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
<u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.11 (Web)• 10.2.11 (non-web document)• 11.2.1.11 (Software)• 11.2.2.11 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.1.1 Keyboard</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.15 (Web)• 10.2.15 (non-web document)• 11.2.1.15 (Software)• 11.2.2.15 (Closed Software)• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.16 (Web) 10.2.16 (non-web document) 11.2.1.16 (Software) 11.2.2.16 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.2.1 Timing Adjustable</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.17 (Web) 10.2.17 (non-web document) 11.2.1.17 (Software) 11.2.2.17 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
<u>2.2.2 Pause, Stop, Hide</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.18 (Web)• 10.2.18 (non-web document)• 11.2.1.18 (Software)• 11.2.2.18 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.19 (Web)• 10.2.19 (non-web document)• 11.2.1.19 (Software)• 11.2.2.19 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.20 (Web)• 10.2.20 (non-web document) – Does not apply• 11.2.1.20 (Software) – Does not apply• 11.2.2.20 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software) – Does not apply to non-web software• 504.2 (Authoring Tool)• 602.3 (Support Docs) – Does not apply to non-web docs	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.21 (Web)• 10.2.21 (non-web document)• 11.2.1.21 (Software) - Does not apply• 11.2.2.21 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)		
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.22 (Web)• 10.2.22 (non-web document)• 11.2.1.22 (Software)• 11.2.2.22 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.23 (Web)• 10.2.23 (non-web document)• 11.2.1.23 (Software)• 11.2.2.23 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.27 (Web) • 10.2.27 (non-web document) • 11.2.1.27 (Software) • 11.2.2.27 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.29 (Web) • 10.2.29 (non-web document) • 11.2.1.29 (Software) • 11.2.2.29 (Closed Software) – Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.30 (Web) 10.2.30 (non-web document) 11.2.1.30 (Software) 11.2.2.30 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.33 (Web) 10.2.33 (non-web document) 11.2.1.33 (Software) 11.2.2.33 (Closed Software) 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.34 (Web)10.2.34 (non-web document)11.2.1.34 (Software)11.2.2.34 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.37 (Web)10.2.37 (non-web document)11.2.1.37 (Software)11.2.2.37 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.38 (Web)• 10.2.38 (non-web document)• 11.2.1.38 (Software)• 11.2.2.38 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.1.2 WCAG Level AA Success Criteria

Table 4. WCAG Level AA Success Criteria

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.4 Captions (Live)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.5 (Web)• 10.2.5 (non-web document)• 11.2.1.5 (Software)• 11.2.2.5 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.2.6 (Web)• 10.2.6 (non-web document)• 11.2.1.6 (Software)• 11.2.2.6 (Closed Software) – Does not apply• 11.6.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.12 (Web) 10.2.12 (non-web document) 11.2.1.12 (Software) 11.2.2.12 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.13 (Web) 10.2.13 (non-web document) 11.2.1.13 (Software) 11.2.2.13 (Closed Software) 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.14 (Web) 10.2.14 (non-web document) 11.2.1.14 (Software) 11.2.2.14 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.24 (Web) 10.2.24 (non-web document) – Does not apply 11.2.1.24 (Software) – Does not apply 11.2.2.24 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.25 (Web)10.2.25 (non-web document)11.2.1.25 (Software)11.2.2.25 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.26 (Web)10.2.26 (non-web document)11.2.1.26 (Software)11.2.2.26 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software)504.2 (Authoring Tool)	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.28 (Web) 10.2.28 (non-web document) 11.2.1.28 (Software) – Does not apply 11.2.2.28 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.31 (Web) 10.2.31 (non-web document) – Does not apply 11.2.1.31 (Software) – Does not apply 11.2.2.31 (Closed Software) – Does not apply 11.6.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">602.3 (Support Docs) – Does not apply to non-web docs		
3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.32 (Web)10.2.32 (non-web document) – Does not apply11.2.1.32 (Software) – Does not apply11.2.2.32 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508 <ul style="list-style-type: none">501 (Web)(Software) – Does not apply to non-web software504.2 (Authoring Tool)602.3 (Support Docs) – Does not apply to non-web docs	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.3.3 Error Suggestion (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">9.2.35 (Web)10.2.35 (non-web document)11.2.1.35 (Software)11.2.2.35 (Closed Software) – Does not apply11.6.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs) 2017 Section 508	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.36 (Web) • 10.2.36 (non-web document) • 11.2.1.36 (Software) • 11.2.2.36 (Closed Software) – Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>All: Not Applicable</p>	<p>The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.</p>



3.1.3 WCAG Level AAA Success Criteria

Table 5. WCAG Level AAA Success Criteria

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.6 Sign Language (Prerecorded)</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.2.7 Extended Audio Description (Prerecorded)</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.2.8 Media Alternative (Prerecorded)</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.2.9 Audio-only (Live)</u> (Level AAA) Also applies to: EN 301 549 Criteria– Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.4.6 Contrast Enhanced</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.4.7 Low or No Background Audio</u> (Level AAA) Also applies to:	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a



Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply		hardware-based accessibility report.
<u>1.4.8 Visual Presentation</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>1.4.9 Images of Text (No Exception) Control</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.1.3 Keyboard (No Exception)</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.2.3 No Timing</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.2.4 Interruptions</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
<u>2.2.5 Re-authenticating</u> (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
2017 Section 508 – Does not apply		hardware-based accessibility report.
2.3.2 Three Flashes (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.8 Location (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.9 Link Purpose (Link Only) (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
2.4.10 Section Headings (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.1.3 Unusual Words (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.1.4 Abbreviations (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
3.1.5 Reading Level (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.1.6 Pronunciation (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.2.5 Change on Request (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.3.5 Help (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
3.3.6 Error Prevention (All) (Level AAA) Also applies to: EN 301 549 Criteria – Does not apply 2017 Section 508 – Does not apply	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.2 Section 508 Report

3.2.1 Section 508 Functional Performance Criteria (FPC)

Table 6. Section 508 Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.2 With Limited Vision	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.3 Without Perception of Color	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.4 Without Hearing	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.5 With Limited Hearing	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.6 Without Speech	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
302.7 With Limited Manipulation	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.8 With Limited Reach and Strength	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
302.9 With Limited Language, Cognitive, and Learning Abilities	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.2.2 Section 508 Hardware Compliance

Table 7. Section 508 Hardware Compliance

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality		
402.1 General		
402.2 Speech-Output Enabled		
402.2.1 Information Displayed On-Screen	Not Applicable	The Rubrik Hardware Appliance does not contain speech capabilities.
402.2.2 Transactional Outputs	Not Applicable	The Rubrik Hardware Appliance does not contain speech capabilities.
402.2.3 Speech Delivery Type and Coordination	Not Applicable	The Rubrik Hardware Appliance does not contain speech capabilities.
402.2.4 User Control	Not Applicable	The Rubrik Hardware Appliance does not contain speech capabilities.
402.2.5 Braille Instructions	Not Applicable	The Rubrik Hardware Appliance does not contain speech capabilities.
402.3 Volume		
402.3.1 Private Listening	Not Applicable	The Rubrik Hardware Appliance does not contain audio capabilities.
402.3.2 Non-private Listening	Not Applicable	The Rubrik Hardware Appliance does not contain audio capabilities.
402.4 Characters on Display Screens	Not Applicable	The Rubrik Hardware Appliance does not contain audio capabilities.
402.5 Characters on Variable Message Signs	Not Applicable	The Rubrik Hardware Appliance does not contain audio capabilities.
403 Biometrics		
403.1 General	Not Applicable	The Rubrik Hardware Appliance does not



Criteria	Conformance Level	Remarks and Explanations
		contain biometric capabilities.
404 Preservation of Information Provided for Accessibility		
404.1 General	Supports	The Rubrik Hardware Appliance Hardware Appliance's accessibility characteristics are preserved throughout its use.
405 Privacy		
405.1 General	Supports	The Rubrik Hardware Appliance Hardware Appliance's accessibility characteristics are preserved throughout its use.
406 Standard Connections		
406.1 General	Supports	The Rubrik Hardware Appliance Hardware Appliance supports standard connections for all its ports and external connections.
407 Operable Parts		
407.2 Contrast	Supports	The Rubrik Hardware Appliance Hardware Appliance supports standard contrast on all connections for all its ports and external connections.
407.3 Input Controls		
407.3.1 Tactilely Discernible	Supports	The Rubrik Hardware Appliance Hardware Appliance's input controls are all tactilely discernible from all other aspects of the appliance.
407.3.2 Alphabetic Keys	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.



Criteria	Conformance Level	Remarks and Explanations
407.3.3 Numeric Keys	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.
407.4 Key Repeat	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.
407.5 Timed Response	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.
407.6 Operation	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	The Rubrik Hardware Appliance Hardware Appliance does not include a keyboard. External keyboards are the responsibility of the customer.
407.8 Reach Height and Depth		
407.8.1 Vertical Reference Plane	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.1.1 Vertical Plane for Side Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.1.2 Vertical Plane for Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports



Criteria	Conformance Level	Remarks and Explanations
		this requirement.
407.8.2 Side Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.2.1 Unobstructed Side Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.2.2 Obstructed Side Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.3 Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.3.1 Unobstructed Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.3.2 Obstructed Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
408 Display Screens		
408.2 Visibility	Supports	The Rubrik Hardware Appliance that does not ship with a display screen. Connecting a displays screen to the appliance for local



Criteria	Conformance Level	Remarks and Explanations
		administration would be the requirement of the customer.
408.3 Flashing	Supports	The Rubrik Hardware Appliance that does not ship with a display screen. Connecting a displays screen to the appliance for local administration would be the requirement of the customer.
409 Status Indicators		
409.1 General	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
410 Color Coding		
410.1 General	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
411 Audible Signals		
411.1 General	Supports	The Rubrik Hardware Appliance is a rack mountable server form factor and supports this requirement.
412 ICT with Two-Way Voice Communication		
412.2 Volume Gain		
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	The Rubrik Hardware Appliance product is not a ICT.
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	The Rubrik Hardware Appliance product is not a ICT.
412.3 Interference Reduction and Magnetic Coupling		
412.3.1 Wireless Handsets	Not Applicable	The Rubrik Hardware Appliance does not include wireless handsets.



Criteria	Conformance Level	Remarks and Explanations
412.3.2 Wireline Handsets	Not Applicable	The Rubrik Hardware Appliance does not include wireline handsets.
412.4 Digital Encoding of Speech	Not Applicable	The Rubrik Hardware Appliance does not include any speech functionality.
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future use.
412.6 Caller ID	Not Applicable	The Rubrik Hardware Appliance does not include any caller ID functionality.
412.7 Video Communication	Not Applicable	The Rubrik Hardware Appliance does not include any video functionality.
413 Closed Caption Processing Technologies		
413.1.1 Decoding and Display of Closed Captions	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.
414 Audio Description Processing Technologies		
414.1.1 Digital Television Tuners	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.
414.1.2 Other ICT	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.
415 User Controls for Captions and Audio Descriptions		
415.1.1 Caption Controls	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.
415.1.2 Audio Description Controls	Not Applicable	The Rubrik Hardware Appliance does not include any audio functionality.



3.2.3 Section 508 Software Compliance

Table 8. Section 508 Software Compliance

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <u>WCAG 2.0</u> section	See information in WCAG section
502 Interoperability with Assistive Technology		
502.2.1 User Control of Accessibility Features	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.2.2 No Disruption of Accessibility Features	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3 Accessibility Services		
502.3.1 Object Information	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.2 Modification of Object Information	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.3 Row, Column, and Headers	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.4 Values	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical



Criteria	Conformance Level	Remarks and Explanations
		interfaces that are recognized as part of a hardware-based accessibility report.
502.3.5 Modification of Values	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.6 Label Relationships	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.7 Hierarchical Relationships	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.8 Text	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.9 Modification of Text	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.10 List of Actions	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.11 Actions on Objects	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
502.3.12 Focus Cursor	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.13 Modification of Focus Cursor	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.3.14 Event Notification	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
502.4 Platform Accessibility Features	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
503 Applications		
503.2 User Preferences	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
503.3 Alternative User Interfaces	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
503.4 User Controls for Captions and Audio Description		
503.4.1 Caption Controls	All: Not Applicable	The Rubrik Hardware Appliance product does not support any audio functionality.



Criteria	Conformance Level	Remarks and Explanations
503.4.2 Audio Description Controls	All: Not Applicable	The Rubrik Hardware Appliance product does not support any audio functionality.
504 Authoring Tools		
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See <u>WCAG 2.0</u> section	See information in WCAG section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
504.2.2 PDF Export	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
504.3 Prompts	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
504.4 Templates	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.2.4 Section 508 Support Documentation and Services

Table 9. Section 508 Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Does Not Support	The Rubrik Hardware Appliance product does not openly detail or allow the configuration of the accessibility tools of the product.
602.3 Electronic Support Documentation	See <u>WCAG 2.0</u> section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	The Rubrik Hardware Appliance product provides all product documentation in alternate formats to include non-electronic documentation.
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Does Not Support	The Rubrik Hardware Appliance product support services do not currently maintain accessibility services. Rubrik is looking to implement accessibility support at a future date.
603.3 Accommodation of Communication Needs	Does Not Support	The Rubrik Hardware Appliance product support services do not currently maintain accessibility services. Rubrik is looking to implement accessibility support at a future date.



3.3 EN 301 549 Report

3.3.1 EN 301 549 Functional Performance Statements (FPS)

Table 10. EN 301 549 Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.2 Usage with limited vision	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.3 Usage without perception of color	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.4 Usage without hearing	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.5 Usage with limited hearing	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.6 Usage without vocal capability	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
4.2.7 Usage with limited manipulation or strength	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.8 Usage with limited reach	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.9 Minimize photosensitive seizure triggers	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.10 Usage with limited cognition	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
4.2.11 Privacy	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.3.2 EN 301 549 Generic Requirements

Table 11. EN 301 549 Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality		
5.1.2 General		
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access		
5.1.3.1 General	Not Applicable	The Rubrik Hardware Appliance product does not support any audio features.
5.1.3.2 Auditory output delivery including speech	Not Applicable	The Rubrik Hardware Appliance product does not support any audio features.
5.1.3.3 Auditory output correlation	Not Applicable	The Rubrik Hardware Appliance product does not support any audio features.
5.1.3.4 Speech output user control	Not Applicable	The Rubrik Hardware Appliance product does not support any speech features.
5.1.3.5 Speech output automatic interruption	Not Applicable	The Rubrik Hardware Appliance product does not support any speech features.
5.1.3.6 Speech output for non-text content	Not Applicable	The Rubrik Hardware Appliance product does not support any speech features.
5.1.3.7 Speech output for video information	Not Applicable	The Rubrik Hardware Appliance product does not support any speech features.
5.1.3.8 Masked entry	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.9 Private access to personal data	All: Not Applicable	The Rubrik Hardware Appliances detailed in



Criteria	Conformance Level	Remarks and Explanations
		this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.10 Non-interfering audio output	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.11 Private listening	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.12 Speaker volume	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.13 Volume reset	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.14 Spoken languages	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.3.15 Non-visual error identification	Supports	The Rubrik Hardware Appliance product supports assistive technologies during the presentation of error indicators.
5.1.3.16 Receipts, tickets, and transactional outputs	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
5.1.4 Functionality closed to text enlargement	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.5 Visual output for auditory information	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
5.1.6 Operation without keyboard interface		
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports with Exceptions	The Rubrik Hardware Appliance product supports assistive technologies for input focus for more than 50% of the content.
5.2 Activation of accessibility features	Does Not Support	The Rubrik Hardware Appliance product does not allow users to modify the accessibility features of the product. The accessibility features are on by default.
5.3 Biometrics	Does Not Support	The Rubrik Hardware Appliance product does not support biometrics of any kind at this current time. However, work is underway to support X.509 PKI certificates in a future date.
5.4 Preservation of accessibility information during conversion	Does Not Support	The Rubrik Hardware Appliance product does not support biometrics of any kind at this current time. However, work is underway to support X.509 PKI certificates in a future date.
5.5 Operable parts		



Criteria	Conformance Level	Remarks and Explanations
5.5.1 Means of operation	Not Applicable	The Rubrik Hardware Appliance product is a rack mountable system designed to be operated after being installed into a standard server rack.
5.5.2 Operable parts discernibility	Not Applicable	The Rubrik Hardware Appliance product is a rack mountable system designed to be operated after being installed into a standard server rack.
5.6 Locking or toggle controls		
5.6.1 Tactile or auditory status	Not Applicable	The Rubrik Hardware Appliance product does not include keyboards. All keyboards and other peripherals are the responsibility of the customer.
5.6.2 Visual status	Not Applicable	The Rubrik Hardware Appliance product does not include keyboards. All keyboards and other peripherals are the responsibility of the customer.
5.7 Key repeat		
5.8 Double-strike key acceptance	Not Applicable	The Rubrik Hardware Appliance product does not include keyboards. All keyboards and other peripherals are the responsibility of the customer.
5.9 Simultaneous user actions	Not Applicable	The Rubrik Hardware Appliance product does not include keyboards. All keyboards and other peripherals are the responsibility of the customer.



3.3.3 EN 301 549 ICT with Two-Way Voice Communication

Table 12. EN 301 549 ICT with Two-Way Voice Communications

Criteria	Conformance Level	Remarks and Explanations
6.1 Audio bandwidth for speech (informative)		
6.2 Real-time text (RTT) functionality		
6.2.1.1 RTT communication	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.2.1.2 Concurrent voice and text	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.2.2.1 Visually distinguishable display	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.2.2.2 Programmatically determinable send and receive direction	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.2.3 Interoperability	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.2.4 Real-time text responsiveness	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.3 Caller ID	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.4 Alternatives to voice-based services	Not Applicable	The Rubrik Hardware Appliance product is not a two-way voice communication system.
6.5 Video communication		
6.5.1 General (informative)		
6.5.2 Resolution	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.



6.5.3 Frame rate	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
6.5.4 Synchronization between audio and video	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
6.6 Alternatives to video-based services	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.



3.3.4 EN 301 549 ICT with Video Capabilities

Table 13. EN 301 549 ICT with Video Communications

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology		
7.1.1 Captioning playback	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.1.2 Captioning synchronization	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.1.3 Preservation of captioning	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.2.1 Audio description playback	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.2.2 Audio description synchronization	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.2.3 Preservation of audio description	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.
7.3 User controls for captions and audio description	Not Applicable	The Rubrik Hardware Appliance product is not a video communication system.



3.3.5 EN 301 549 Hardware Success Criteria

Table 14. EN 301 549 Hardware Success Criteria

Criteria	Conformance Level	Remarks and Explanations
8.1.1 Generic requirements		
8.1.2 Standard connections	Supports	The Rubrik Hardware Appliance supports this requirement through the use of standard connections for all peripherals.
8.1.3 Color	Supports	The Rubrik Hardware Appliance supports this requirement through the use of colors for all external connections for peripherals and other indicators.
8.2 Hardware products with speech output		
8.2.1.1 Speech volume range	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.2.1.2 Incremental volume control	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.2.2.1 Fixed-line devices	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.2.2.2 Wireless communication devices	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.3 Physical access to ICT		
8.3.2.1 Change in level	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.2 Clear floor or ground space	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.



Criteria	Conformance Level	Remarks and Explanations
8.3.2.3.1 General	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.3.2 Forward approach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.3.3 Parallel approach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.4 Knee and toe clearance width	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.5 Toe clearance	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.2.6 Knee clearance	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.1.1 Unobstructed high forward reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.1.2 Unobstructed low forward reach	Not Applicable	The Rubrik Hardware Appliance is a rack



Criteria	Conformance Level	Remarks and Explanations
		mountable system designed to be operated after being installed into a standard server rack.
8.3.3.1.3.1 Clear floor space	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.1.3.2 Obstructed (< 510 mm) forward reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.1.3.3 Obstructed (< 635 mm) forward reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.2.1 Unobstructed high side reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.2.2 Unobstructed low side reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.2.3.1 Obstructed (≤ 255 mm) side reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.3.2.3.2 Obstructed (≤ 610 mm) side reach	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server



Criteria	Conformance Level	Remarks and Explanations
		rack.
8.3.4 Visibility	Not Applicable	The Rubrik Hardware Appliance is a rack mountable system designed to be operated after being installed into a standard server rack.
8.3.5 Installation instructions	Supports	The Rubrik Hardware Appliance is available in printed and electronic formats and supports assistive technologies.
8.4 Mechanically Operable parts	Supports	The Rubrik Hardware Appliance supports this requirement through the use of standard connections for all peripherals.
8.4.1 Numeric keys	Supports	The Rubrik Hardware Appliance supports this requirement through the use of colors for all external connections for peripherals and other indicators.
8.4.2.1 Means of Operation of mechanical parts		
8.4.2.2 Force of operation of mechanical parts	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.4.3 Keys, tickets and fare cards	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.
8.5 Tactile indication of speech mode	Not Applicable	The Rubrik Hardware Appliance does not require speech for normal operation.



3.3.6 EN 301 549 Web (see WCAG 2.0 section)

3.3.7 EN 301 549 Non-web Documents Success Criteria

Table 15. EN 301 549 Non-web Documents Success Criteria

Criteria	Conformance Level	Remarks and Explanations
10.1 General		
10.2 Document success criteria		
10.2.1 through 10.2.38	See <u>WCAG 2.0</u> section	See information in WCAG section
10.2.39 Caption positioning	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
10.2.40 Audio description timing	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.



3.3.8 EN 301 549 Software Success Criteria

Table 16. EN 301 549 Software Success Criteria

Criteria	Conformance Level	Remarks and Explanations
11.2.1 Software success criteria (excluding closed functionality)	See <u>WCAG 2.0</u> section	See information in WCAG section
11.2.2 Software success criteria (closed functionality)	See <u>WCAG 2.0</u> section	See information in WCAG section
11.3 Interoperability with assistive technology		
11.3.1 Closed functionality (informative)		
11.3.2 Accessibility services		
11.3.2.1 Platform accessibility service support for software that provides a user interface	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.2 Platform accessibility service support for assistive technologies	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.3 Use of accessibility services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.4 Assistive technology	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.



Criteria	Conformance Level	Remarks and Explanations
11.3.2.5 Object information	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.6 Row, column, and headers	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.7 Values	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.8 Label relationships	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.9 Parent-child relationships	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical



Criteria	Conformance Level	Remarks and Explanations
		interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.10 Text	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.11 List of available actions	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.12 Execution of available actions	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.13 Tracking of focus and selection attributes	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment



Criteria	Conformance Level	Remarks and Explanations
		available for all Rubrik software or web GUI based products.
11.3.2.14 Modification of focus and selection attributes	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.15 Change notification	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.16 Modifications of states and properties	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.
11.3.2.17 Modifications of values and text	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report. Please see the product specific assessment available for all Rubrik software or web GUI based products.



Criteria	Conformance Level	Remarks and Explanations
11.4 Documented accessibility usage		
11.4.1 User control of accessibility features	Does Not Support	The product's documentation does not readily address the accessibility features of the product. Rubrik is working to include this information in future releases of the product.
11.4.2 No disruption of accessibility features	Supports	The Rubrik Hardware Appliance product does not allow users to control the accessibility features of the product.
11.5 User preferences	Does Not Support	The Rubrik Hardware Appliance product does not allow users to control the accessibility features of the product.
11.6 Authoring tools		
11.6.1 Content technology		
11.6.2 Accessible content creation (if not authoring tool, enter "not applicable")	See <u>WCAG 2.0</u> section	See information in WCAG section
11.6.3 Preservation of accessibility information in transformations	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
11.6.4 Repair assistance	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
11.6.5 Templates	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



3.3.9 EN 301-549 Documentation and Support Services Success Criteria

Table 17. EN 301 549 Documentation and Support Services Success Criteria

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation		
12.1.1 Accessibility and compatibility features	Does Not Support	The Rubrik Hardware Appliance product's documentation does not readily address the accessibility features of the product. Rubrik is working to include this information in future releases of the product.
12.1.2 Accessible documentation	See <u>WCAG 2.0</u> section	See information in WCAG section
12.2 Support Services		
12.2.2 Information on accessibility and compatibility features	Supports	The Rubrik Hardware Appliance accessibility and compatibility features and status are managed under the Federal Compliance Program and all data around this program is available from the POC listed in Chapter 1.4.
12.2.3 Effective communication	Does Not Support	Rubrik does not yet have accessibility support services. However, Rubrik is working to implement TTY support at a future date.
12.2.4 Accessible documentation	See <u>WCAG 2.0</u> section	See information in WCAG section



3.3.10 EN 301 549 Emergency Service Access Success Criteria

Table 18. EN 301 549 Emergency Service Access Success Criteria

Criteria	Conformance Level	Remarks and Explanations
13.1 Relay services requirements		
13.1.2 Text relay services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
13.1.3 Sign relay services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
13.1.4 Lip-reading relay services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
13.1.5 Captioned telephony services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
13.1.6 Speech to speech relay services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.
13.2 Access to relay services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.



Criteria	Conformance Level	Remarks and Explanations
13.3 Access to emergency services	All: Not Applicable	The Rubrik Hardware Appliances detailed in this assessment do not have graphical interfaces that are recognized as part of a hardware-based accessibility report.

4.0 Legal Disclaimer

Rubrik submits this document for information purposes only. RUBRIK MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT. The information contained herein is current as of the date specified above, and is subject to change thereafter.